APPENDIX A: Commonwealth Letter of Concurrence



COMMONWEALTH OF MASSACHUSETTS EXECUTIVE OFFICE OF ENVIRONMENTAL AFFAIRS DEPARTMENT OF ENVIRONMENTAL PROTECTION

ONE WINTER STREET, BOSTON, MA 02108 617-292-5500

MITT ROMNEY Governor

KERRY HEALEY Lieutenant Governor ELLEN ROY HERZFELDER Secretary

ROBERT W. GOLLEDGE, Jr. Commissioner

September 24, 2004

Susan Studlien, Director
Office of Site Remediation and Restoration
U.S. EPA
One Congress Street, Suite 1100 (HIO)
Boston, MA 02114

Re:

ROD Concurrence Letter Operable Unit #3 Iron Horse Park Superfund Site

Dear Ms. Studlien:

The Department of Environmental Protection (DEP) has reviewed the Selected Remedial Action alternative for the cleanup of the Third Operable Unit at the Iron Horse Park Superfund Site. The selected alternative addresses several source areas within the Iron Horse Park Site. The DEP concurs with the selection of this alternative for this operable unit.

This Operable Unit's remedial action has three components:

- Control the sources of contamination and limit or prevent future contaminant migration by capping;
- Monitor groundwater, including conducting an evaluation of the trend in groundwater contaminant concentrations;
- Conduct an evaluation to determine if the source control measures alone can be protective of human health and the environment, whether active groundwater cleanup is viable, and whether the cleanup approach needs to be reevaluated.

Based on the information presented to date, DEP believes that the selected remedial actions of capping and monitoring of groundwater will be protective of human health and the environment.

The Department looks forward to working with you in implementing the selected alternative. If you have any questions, please contact Janet Waldron at 617-556-1156.

Very truly yours,

Richard C. Chalpin Acting Assistant Commissioner

DC/jsw

Efile: 5.01 Correspondence/DEP OU 3 Concurrence Letter 092004

This information is available in alternate format. Call Donald M. Gomes, ADA Coordinator at 617-556-1057. TDD Service - 1-800-298-2207.